

<b>CONTRACT DATA REQUIREMENTS LIST</b>							Form Approved CMB No. 0704-0188			
Public reporting burden for this collection of information is estimated to average 220 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-2302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government Issuing Contracting Officer for the Contract. PR No. listed in Block E.										
A. Contract Line Item No. 0001			B. Exhibit A		C. Category OTHER - TEST PLANS AND TEST REPORTS					
D. System/Item APG63, APG63V1, & APG70. P/N 3271553, NSN 5365-00-280-0121					E. Contract/PR NO.		F. Contractor			
1. Data Item No. A001		2. Title of Data Item: FIRST ARTICLE TEST PLAN					3. Subtitle:			
4. Authority (Data Acquisition Document No.) DI-NDTI-80566					5. Contract Reference		6. Requiring Office WR-ALC/LFEA			
7. DD 250 Req DD		9. Dist Statement Required  F		10. Frequency ONE / R		12. Date of First Submission SEE BLK 16		14. Distribution		
8. APP Code A				11. As of Date SEE BLK 16		13. Date of Subsequent Submission SEE BLK 16		a. Addressee		
								b. Copies		
								Draft      Final Reg      Repro		
16. REMARKS  BLK 2. FIRST ARTICLE TEST PLAN MUST DESCRIBE WHAT REQUIREMENTS ARE TO BE TESTED AND HOW THE TESTS ARE TO BE PERFORMED. FIRST ARTICLE TESTS MUST CONFORM TO REQUIREMENTS IDENTIFIED IN THE ASSOCIATED AFMC 260. THE TEST PLAN MUST INCLUDE A LIST OF THE TEST EQUIPMENT USED DURING TESTING.  BLK 4. CONTRACTOR FORMAT IS ACCEPTABLE.  BLK 9. DISTRIBUTION CODE F: FURTHER DISSEMINATION ONLY AS DIRECTED BY WR-ALC/LFEFA OR HIGHER DOD AUTHORITY.  BLK 8, 11 – 13. FIRST SUBMISSION IS DUE 60 CALENDAR DAYS AFTER CONTRACT AWARD. WR-ALC/LFEFA APPROVAL WITHIN 45 CALENDAR DAYS AFTER RECEIPT. RESUBMITTAL WITH REVISIONS WITHIN 30 CALENDAR DAYS OF ORIGINAL SUBMISSION.							WRALC/LFEFA 1 1 0			
							15. TOTAL		1    1    0	
1. Data Item No. A002		2. Title of Data Item: FIRST ARTICLE TEST REPORT					3. Subtitle:			
4. Authority (Data Acquisition Document No.) DI-NDTI-80809B					5. Contract Reference		6. Requiring Office WR-ALC/LFEA			
7. DD 250 Req DD		9. Dist Statement Required  F		10. Frequency ONE / R		12. Date of First Submission SEE BLK 16		14. Distribution		
8. APP Code A				11. As of Date SEE BLK 16		13. Date of Subsequent Submission N/A		a. Addressee		
								b. Copies		
								Draft      Final Reg      Repro		
16. REMARKS  BLK 4. CONTRACTOR FORMAT IS ACCEPTABLE.  BLK 9. DISTRIBUTION CODE F; FURTHER DISSEMINATION ONLY AS DIRECTED BY WR-ALC/LFEFA OR HIGHER DOD AUTHORITY.  BLK 8, 11 – 13. FIRST SUBMISSION IS DUE 270 WORKING DAYS AFTER CONTRACT AWARD OR WITH DELIVERY OF FIRST ARTICLE (S).							WRALC/LFEFA 1 1 0			
							15. TOTAL		1    1    0	
G. PREPARED BY Robert R. Fiske -- DSN 468-2664 / LFEA				H. DATE 24Feb2004		I. APPROVED BY			J. DATE	

ENGINEERING DATA LIST		DATE 6 Feb 04		PAGE 1 OF 1 PAGE		
NSN 5365-00-280-0121FX	REFERENCE NUMBER 3271553	CAGE AND NAME 82577//RAYTHEON		NOUN PLATE, SPACER		
APPLICATION F-15	TECHNICIAN / ENGINEER T. SMILEY	PURCHASE REQUEST NUMBER		PREPARING ACTIVITY / PHONE WR-ALC/LGECB//472-304		
NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.						
DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
3271553 -----	82577 -----	-----	1	S	D	TOP DRAWING -----
HP8-5	82577	AN	25	S		
HP4-169	82577	G	5	S		
REMARKS / NOTES (Continue on WR-ALC/TIL FORM 0-762A)						
SPARES CONFIG: PER B/P						

First Article Requirements

Contractor Testing

The First Article is 2 units and will be in addition to the production quantity. First Articles will not serve as a manufacturing standard. The First Article offered must be manufactured at the facilities in which that item is to be produced under the contract or if the First Article is a component not manufactured by the contractor, such component must be manufactured at the facilities in which the component is to be produced under the contract. A certification to this effect must accompany each First Article which is offered. First Articles must meet the mechanical (form, fit, function) and dimensional requirements of drawing 82577 3271553 Revision I.

A Contractor's Test Plan is required. The Contractor must include the Test Procedures that will be used to perform First Article testing. The Test Procedures must include a listing of the test equipment used. The Contractor's Test Plan must be delivered for Government review 60 days from the date of contract. The Government will provide approval / disapproval within 45 days of receipt of the test plan.

The contractor will notify the ACO and WR-ALC/LFEFA of the test time and location 30 days prior to testing.

The First Article Test Report is due 270 days from date of contract. First Article Test Reports may be delivered with the First Articles.

Test plans and First Articles Reports will be sent to:

WR-ALC/LFEFA

ATTN: Ronnie Rogers

296 Cochran Street

Robins AFB, Georgia 31098-1622

First Articles will be delivered to:

EG&G Special Handling Unit

WR-ALC / Bldg 376

455 Byron St.

Robins AFB, Georgia 31098

The contract shall notify the Government 15 calendar days prior to shipment of First Articles.

First Articles will be installed on aircraft/equipment to determine proper fit/function. Approved First Article will remain on aircraft/equipment and will not be forwarded to DoD Supply, but will be considered part of the contract quantity. Disapproved First Articles will be retained by WR-ALC/LFEFA pending disposition instructions from the contractor. Unused First Articles will be forwarded to DoD Supply and will be considered part of the contract quantity.

First Article Testing will not be waived.

..END OF SPECIAL INSTRUCTIONS..

<b>FIRST ARTICLE REQUIREMENTS</b> <i>(AFMCI 64-110, AFMCI 23-102 and FAR Part 9, Sub Part 9.3) (Additional Instructions on Page 3)</i>			1. DATE 20041024
2. P/R/MIPR NUMBER	3. PART NUMBER <div style="text-align: center; font-weight: bold;">3271553</div>	4. NSN <div style="text-align: center; font-weight: bold;">5365-00-280-0121</div>	
5. FIRST ARTICLE QUANTITY THE FIRST ARTICLE IS <div style="text-align: center; width: 100px;">2</div> UNIT(S) OF LOT/ITEM <div style="width: 100px;"></div>			
AND WILL BE: <input type="checkbox"/> PART OF PRODUCTION QUANTITY <input checked="" type="checkbox"/> IN ADDITION TO PRODUCTION QUANTITY			
6. ARTICLES  <input type="checkbox"/> WILL <input checked="" type="checkbox"/> WILL NOT                      SERVE AS A MANUFACTURING STANDARD		7. LONG LEAD TIME ITEMS  <input type="checkbox"/> REQUIRED <input checked="" type="checkbox"/> NOT REQUIRED <i>(See FAR 52.209-3 or -4, alternate II)</i>	
8. SPECIAL REQUIREMENT/PRODUCTION FACILITIES <i>(See FAR 52.209-3 or -4 Alternate I)</i> <input checked="" type="checkbox"/> REQUIRED <input type="checkbox"/> NOT REQUIRED  "The First Article offered must be manufactured at the facilities in which that item is to be produced under the contract, or if the First Article is a component not manufactured by the contractor, such component must be manufactured at the facilities in which the component is to be produced for the contract. A certification to this effect must accompany each First Article which is offered."			
9. TEST/INSPECTION REQUIREMENTS  A. <input checked="" type="checkbox"/> CONTRACTOR TESTING <input type="checkbox"/> GOVERNMENT TESTING  Performance or other characteristics which the First Articles must meet are <u><b>Mechanical (form, fit, &amp; function) and Dimensional.</b></u>  B. The detailed technical requirements for First Article approval tests are contained in <u><b>Hughes drawing 3271553, REV I</b></u> <div style="text-align: center;"><i>(Cite Spec and Para number)</i></div>  C. <input checked="" type="checkbox"/> TEST PLAN REQUIRED (1) DD Form 1423 ELIN <u><b>A001</b></u> (2) Delivery due <u><b>60</b></u> s from date of contract. (3) Number of days for government approval/disapproval <u><b>45</b></u> days.  D. Contractor's notification to ACD and <u><b>WR-ALC/LFEFA</b></u> <div style="text-align: center;"><i>(Requesting Activity)</i></div> of test time and location due da <u><b>30</b></u> of testing.  E. <input checked="" type="checkbox"/> TEST REPORT REQUIRED (1) DD Form 1423 ELIN <u><b>A002</b></u> (2) Due <u><b>270</b></u> /s from date of contract. (3) Forwarded to <u><b>WR-ALC/LFEFA, Atten: Ronnie Rogers</b></u> <u><b>296 Cochran Street Robins AFB, Ga. 31098-1622</b></u> (4) Government written notice of approval/disapproval due <u><b>45</b></u> days after receipt of contractor's report.		F. FIRST ARTICLE DELIVERY:  (1) Due within <u><b>270</b></u> calendar days from date contract. (2) Notify <u><b>15</b></u> calendar days prior to shipment. (3) Delivered to government at <u><b>EG&amp;G special Handling Unit First Article</b></u> <u><b>WR-ALC/Bldg 376</b></u> <u><b>455 Byron St. Robins AFB, Ga. 31098</b></u> <div style="text-align: center;"><i>(Set Forth Consignee and Address)</i></div> (4) Government written notice of approval/disapproval within <u><b>45</b></u> days after receipt of first article package.  G. Estimated cost of government testing/inspection evaluation. \$ <u><b>\$500.00</b></u>	
10. DISPOSITION OF FIRST ARTICLES  <input type="checkbox"/> Approved First Articles will be forwarded to <div style="width: 150px;"></div>  <input type="checkbox"/> <div style="width: 100px;"></div> First Articles will be expended in testing. Residual components of disapproved First Articles <input type="checkbox"/> will be returned to the contractor/ <input type="checkbox"/> will be retained by <div style="width: 100px;"></div> pending disposition instructions from the contractor.  <input checked="" type="checkbox"/> First Articles will be installed on aircraft/equipment to determine proper fit/function. Approved article will remain on the aircraft/equipment and will not be forwarded to USAF Supply, but will be considered part of the contract quantity.  <input type="checkbox"/> Disapproved First Articles will be returned to the contractor/ <input checked="" type="checkbox"/> will be retained by <u><b>WR-ALC/LFEFA</b></u> pending disposition instructions from the contractor  <input type="checkbox"/> On purchase requests designated as direct shipments the following disposition will apply. (NOTE: Always applicable on Foreign Military Sales (FMS)).  a. Approved First Articles will be returned to the contractor for shipment with production item. b. Disposition of disapproved First Articles will remain the same as marked above.  <input checked="" type="checkbox"/> Other Disposition: <u><b>Unused F/A will be forwarded to USAF supply and will be considered part of the contract quantity.</b></u>			

## 11. CONDITION(S) FOR WAIVER OF FIRST ARTICLE APPROVAL

- a. ☐ Offerors who have previously furnished production quantities of the same or similar article to the prime contractor for delivery to the \_\_\_\_\_ Government, \_\_\_\_\_ DoD, \_\_\_\_\_ Air Force.
- b. ☐ Offerors currently in production of the same or similar article for a \_\_\_\_\_ Government, contract \_\_\_\_\_ DoD, \_\_\_\_\_ Air Force approval under the existing contract.
- c. ☐ Offerors who have previously furnished production quantities of the same or similar articles to the \_\_\_\_\_ Government, \_\_\_\_\_ DoD, \_\_\_\_\_ Air Force, provided articles thus furnished, have exhibited satisfactory performance in service in the opinion of the Air Force.
- d. ☐ Provided not more than \_\_\_\_\_ elapsed since completion of the contract.
- e. ☒ First Article testing will not be waived.
- f. ☒ See Remarks in block 12 below.

**NOTE TO BUYER:** UNDER CONDITIONS A AND C ABOVE, THE COGNIZANT ENGINEERING ACTIVITY WILL DECIDE WHETHER OR NOT THE ITEM HAS EXHIBITED SATISFACTORY PERFORMANCE IN SERVICE AND PREPARE AND RETAIN SUPPORTING DOCUMENTATION TO FULLY JUSTIFY THIS DECISION. THE BUYER MUST SOLICIT DUAL PRICES (*That is, both with and without requirement for first article approval*) AND MUST FURNISH THE COGNIZANT ENGINEERING ACTIVITY WITH THE FOLLOWING INFORMATION ON THE PREVIOUSLY SUPPLIED ARTICLE:

#### D. SPECIFICATION NUMBER AND REVISION

## 12. REMARKS

9. **Test/Inspection Requirements:** In addition to the First Article Test/Inspection Requirements specified for the Contractor, the Government will verify form/fit/function by:

- P/N 3271553, NSN 5365-00-280-0121
  - Dimensional and technical requirements per Hughes drawing 3271553. Destructive testing to confirm process authorized.
- Functional Testing
  - SRU - P/N 3402050-030 (Antenna Gimble, AZ)
  - LRU - P/N 3173031-125 (Antenna)
  - IPB 12P2-2APG63-4 (common to AN/APG70)
  - T.O. 12P2-2APG63-7-1
- System Testing - use either system to test:
  - APG-63
    - T.O. 1F-15-A/C-2-94JG-71-1
  - APG-70
    - T.O. 1F-15-E94JG-75-1

9.C. Test Plan Required: The Contractor must include the Test Procedures that will be used to perform First Article testing. The Test Procedures must include a listing of the test equipment used.

9.E. Test Report Required" The Test Report may be delivered with the First Articles.

9.G. Estimated cost of government testing/inspection evaluation: The cost will be charged to DSCC via DLA 339 requesting testing at time of first article delivery.

13. COGNIZANT ENG ORGANIZATION RESPONSIBLE FOR CONDUCTING AND/OR APPROVING TEST (Name, Organization, Phone)

**Ronnie Rogers/Wr-ALC/LFEFA/478-926-0965, DSN 468-0965**

14. PR INITIATOR (Name, Organization, Phone)

## INSTRUCTIONS FOR COMPLETION OF FIRST ARTICLE TEST REQUIREMENTS (AFMC Form 260)

**BLOCKS 1 - 4 AND 14.** WILL BE COMPLETED BY THE INITIATOR OF PURCHASE REQUEST.

**BLOCKS 5 THRU 11, AND 13.** WILL BE COMPLETED BY THE ENGINEER AND/OR EQUIPMENT SPECIALIST. IF LOCAL PURCHASE, INITIATOR OF PURCHASE REQUEST SHALL COMPLETE.

**BLOCKS 1 THRU 4.** SELF-EXPLANATORY

**BLOCK 5.** INSERT QUANTITY OF FIRST ARTICLE TO BE TESTED. INDICATE WHETHER THE FIRST ARTICLE ITEM IS PART OF OR IN ADDITION TO THE PRODUCTION QUANTITY. *(Normally the First Article in "Contractor Testing" are delivered (if not destroyed) with the production items.)* PER FAR 9.301 FIRST ARTICLE MEANS PREPRODUCTION MODELS/SAMPLES, INITIAL PRODUCTION SAMPLES, TEST SAMPLES, FIRST LOTS, PILOT MODELS OR PILOT LOTS.

**BLOCK 6.** INDICATE WHETHER OR NOT THE FIRST ARTICLE WILL SERVE AS A MANUFACTURING STANDARD. *(FAR 9.306(h)).*

**BLOCK 7.** SEE FAR 52.209-3 OR -4, ALTERNATE II.

**BLOCK 8.** SEE FAR 9.308

**BLOCK 9.** MUST BE CHECKED TO INDICATE WHETHER THE CONTRACTOR OR THE GOVERNMENT IS TO PERFORM TESTING. *(FAR 9.306)*

A. THE SPECIFIC PARAGRAPH(S) OF THE SPECIFICATION MUST BE INCLUDED OR THE PARTICULAR REQUIREMENTS CITED.

B. THE SPECIFIC PARAGRAPH(S) OF THE SPECIFICATION MUST BE INCLUDED OR THE PARTICULAR REQUIREMENTS CITED.

C. THIS PARAGRAPH IS OPTIONAL AND IS REQUIRED ONLY WHEN A TEST PLAN IS REQUIRED. THE REQUIRED ENTRIES ARE SELF-EXPLANATORY.

D. THE "NUMBER OF DAYS" ENTRY SHOULD BE FAR ENOUGH IN ADVANCE OF THE TESTING TO PERMIT ANY GOVERNMENT REPRESENTATION AT THE TESTING SITE.

E. THIS PARAGRAPH IS SELF-EXPLANATORY. *(NOTE: All dates must be realistic and include adequate production and administrative lead times.)*

F. (1). THE DELIVERY DATE MUST BE REALISTIC AND INCLUDE ADEQUATE PRODUCTION AND ADMINISTRATIVE LEAD TIMES.

(2). THIS NOTIFICATION SHOULD BE NO LESS THAN TEN DAYS.

(3). ENTER ADDRESS WHERE FIRST ARTICLE IS TO BE DELIVERED FOR TESTING.

(4). THIRTY DAYS OR LONGER NOTIFICATION MUST BE CONSIDERED WHEN GOVERNMENT TESTING REQUIRES SPECIAL FIXTURE AND/OR AIRCRAFT.

G. THIS ESTIMATE SHOULD BE AS ACCURATE AS POSSIBLE AND INCLUDE GOVERNMENT LABOR COSTS FOR TESTS; TOOLS/TEST EQUIPMENT; GOVERNMENT TEST FACILITY USE; TDY COSTS, TRANSPORTATION OF FIRST ARTICLE TO TEST SITE; GOVERNMENT EVALUATION OF CONTRACTOR TEST REPORT; ETC.

**BLOCK 10.** APPLIES TO GOVERNMENT TESTING. APPLIES TO CONTRACTOR TEST ONLY IF ITEMS ARE NOT SUBMITTED AS PRODUCTION UNITS, IN THESE CASES CITE DISPOSITION.

**BLOCK 11.** SELF-EXPLANATORY. SIMILAR ARTICLES ARE THOSE WHICH, FOR PURPOSE OF MANUFACTURE, ARE SUBSTANTIALLY THE SAME AS THE ITEM BEING PURCHASED *(For example, items that differ only in size or in place of operation (i.e., left vs right side of aircraft)).*

**BLOCK 12.** SELF-EXPLANATORY.

**BLOCK 13 AND 14.** SELF-EXPLANATORY.

NSN 5365-00-280-0121FX

**GENERAL NOTES:**

☒ 1. ALL GOVERNMENT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, [HTTP://WWW.DODSSP.DAPS.MIL](http://www.dodssp.daps.mil). 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENT SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

☐ DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

☒ THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

☐ THE SUCCESSFUL BIDDER MUST ACQUIRE THE BASIC PART NUMBER FROM THE MANUFACTURER AND SCREEN THE PART IN ORDER TO MEET ALL THE NECESSARY PERFORMANCE REQUIREMENTS OF THIS DATA PACKAGE.

☐ THE CONTRACTOR MUST ADHERE TO SPECIFICATION CONTROL OR SOURCE CONTROL DRAWING(S). THE ITEMS MUST BE PROCURED FROM THE LISTED VENDORS. ANY DEVIATION AND/OR MODIFICATION MUST BE APPROVED BY THE CONTRACTING OFFICER FOR SUBSTITUTION FROM OTHER THAN SUGGESTED/APPROVED SOURCES.

☐ IN AREAS WHERE THE MIL-C-83286 URETHANE TOP COAT VIOLATES ENVIRONMENTAL CONTROL LAWS, MIL-C-85285, TYPE I, POLYURETHANE TOP COAT MAY BE USED.

☐ THESE DOCUMENTS CONTAIN A LEGEND IDENTIFYING THE DATA AS PROPRIETARY TO THE LOCKHEED AIRCRAFT CORP (LAC). LAC AUTHORIZED THE GOVERNMENT TO USE THE DATA IN THE PROCUREMENT OF C141 AIRCRAFT SPARES AND MAINTENANCE. ACCORDINGLY, THE DATA MAY BE USED IN THE MANUFACTURE OF THE PART(S) IDENTIFIED HEREIN.

☐ THE USE OF POLYVINYLCHLORIDE (PVC) INSULATED WIRING IS PROHIBITED. MIL-HDBK-454, GUIDELINE 71, PARA 4.3.3 APPLIES. MATERIALS ACCEPTABLE AS INSULATION ON WIRING OR SLEEVING ARE AS STATED IN MIL-STD-1587C, PARA 5.2.7. THE INSULATION MATERIAL REQUIREMENTS OF MIL-STD-1587, PARA 5.2.7 TAKE PRECEDENCE OVER ANY PVC INSULATION MATERIAL REQUIREMENTS REFERENCED IN THE DRAWINGS LISTED.

NSN # 5365-00-280-0121FX

☐ THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

☐ FINISHED PARTS SHALL EITHER BE GRIT BLASTED PER PS12040, LIQUID HONED PER PS12045, OR ALKALINE CLEANED PER PS12030, TYPE III.

☐ WHERE SPECIFIED, CHEM MILLING IS MANDATORY.

☐ Digital Loft Data is available as Initial Graphics Exchange Specification (IGES) files for direct input to CAD/CAM Systems. The successful bidder, upon written request to the Procurement Contracting Officer (PCO), may obtain this DATA for manufacturing purposes.

☐ DATA MAY BE USED AND DISSEMINATED AS NECESSARY TO DETERMINE WHETHER OR NOT THE POTENTIAL OFFEROR WILL PROPOSE AND/OR PREPARE A PROPOSAL PROVIDED THE OFFEROR COMPLIES WITH THE RESTRICTIONS SET FORTH HEREIN, EXPORT CONTROL LAWS, AND OTHER APPLICABLE LAWS. AUTHORIZATION WAS RECEIVED ON \_\_\_\_\_.

☒ WARNING—THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES.

☐ AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ, "QUALIFICATION BY THE GOVERNMENT SHALL BE CONDUCTED AS IDENTIFIED HEREIN".

☐ CLASSIFIED/CONFIDENTIAL DATA WILL BE FURNISHED TO THE BIDDER/CONTRACTOR AWARDEE UPON REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO).

☐ F-15 Loft Data Book provided for reference and inspection purposes only. Use of this book in conjunction with Digital (IGES Format) Loft Data, will provide the necessary information to ensure accurate Loft surface.